

CRE-excisable CMYC Lentifect™ Purified Lentiviral Particles

Cat. No. LP804-025, LP804-100

Ready-to-use lentiviral particles for the transduction of a variety of mammalian cells including difficult-to-transfect, primary, stem and non-dividing cells.

Description

Gene: CMYC

Promoter: EF1α

Tag: N/A

Reporter: N/A

Resistance marker: N/A

Additional note: N/A

LoxP sequences were inserted to the 5'LTR and 3'LTR region. The viral transgene insertion can be excised by CRE recombinase.

GeneCopoeia Lentifect[™] Lentiviral Particles are produced from a standardized protocol using purified plasmid DNA and the proprietary reagents, EndoFectin[™] Lenti (for transfection) and TiterBoost[™] solution. The protocol uses a third generation self-inactivating packaging system meeting BioSafety Level 2 requirements.

Contents and storage

Provided as 1 vial of 25 μ l or 4 vials of 25 μ l of purified CMYC lentiviral particles with titers of ~1 x 10⁸ TU/ml.

Lentifect particles are shipped on dry ice and **must be stored at -80°C immediately upon receipt**. Avoid repeated freeze-thaw cycles as this will reduce titers.

Quality control

The lentiviral expression construct was validated by full-length sequencing, restriction enzyme digestion and PCR-size validation using gene-specific and vector-specific primers. Product is confirmed free of bacteria, fungi and common *Mycoplasma* contamination.

Viral titer

The transduction unit (TU or IFU) of the lentiviral particles was estimated using the formula-1TU=30 copies of viral genomic RNA. The physical copy numbers of the viral genomic RNA was determined using qRT-PCR. The customer should test the transduction at MOI=0.3, 1, 3, 5, 10 for their specific cell lines in order to get the best transduction efficiency.

Overview of production

The CMYC OmicsLink[™] ORF lentiviral expression plasmid (GeneCopoeia Cat. No. CS-Z2845-Lv195-01). This plasmid was co-transfected into 293Ta cells (GeneCopoeia Cat. No. LT008) with the Lenti-Pac HIV Packaging Mix (GeneCopoeia Cat. No. LT001). Lentiviruscontaining supernatants were harvested 48 hours after transfection and stored at -80°C.

User manual

Please contact GeneCopoeia for a copy or download at:

https://www.genecopoeia.com/wp-content/uploads/2018/03/Lentivirus-protocol-GeneCopoeia.pdf

GeneCopoeia, Inc.

9620 Medical Center Drive, Suite 101

Rockville, Maryland 20850

Tel: 301-762-0888 Fax: 301-762-8333

Email: inquiry@genecopoeia.com

Web: www.genecopoeia.com