

# Datasheet for C6/ Cas9-hyg Stable Cell Line

Catalog number: SL534

**Product:** C6 cell line stably expressing CRISPR Cas9 nuclease

**Description:** This product is a cell line stably expressing the CRISPR Cas9 nuclease. This cell

line also expresses the hygromycin resistance gene. In combination with separately transfected or transduced single guide RNAs (sgRNAs), this cell line will sustain double-strand DNA breaks (DSBs) at targeted genome sites. We validated Cas9 activity in this cell line using the T7 Endonuclease I assay. This cell line can be used *in vitro* for gene knockout, transgene knock-in, mutagenesis, transgene integration, or other genome editing-related

applications.


**Quantity:** 1 vial of 2 x 10<sup>6</sup> cells; frozen

Shipping conditions: Dry ice

Storage conditions: Liquid nitrogen vapor phase. Remove the item from the dry ice packaging

and check all items for damage and leakage. Place immediately into storage at or below -140 °C, preferably into the liquid nitrogen vapor phase, until use.

## **Transgene integration:**



## Source of parental line:

C6

Organism: Rattus norvegicus, Rat

Tissue: Brain
Disease: Glioma
Cell type: glial cell

**Safety instructions:** To ensure safety, protective gloves, clothing, and a face mask should be worn

when handling frozen vials. Some leakage may occur into the vial during

storage. The liquid nitrogen will be converted to gas upon thawing. Due to the



nature of nitrogen gas, pressure may build within the vial and possibly result in the vial exploding or losing its cap. This may cause flying debris.

**Thawing procedure:** The vial of cells should be thawed in a 37 °C water bath with gentle agitation. For optimal performance, the vial should be thawed in under two minutes. Ensure that the cap of the vial did not loosen upon thawing, and re-tighten as needed. Spray the vial with 70% EtOH and wipe off before transferring the vial into cell culture hood. Using aseptic technique, add the contents of the vial to 9 ml of complete growth medium (without selection), centrifuge for 5 minutes at 250 x g to remove the cryoprotective medium. Resuspend the cell pellet in 10 mL of complete growth medium, and place into a Poly-Lysine coated or Corning Cellbind culture vessel of your choice. Only add selection to the medium after 24 hours in culture.

#### **Culture conditions:**

#### **Complete Growth Medium**

The base medium for this cell line is F12-K. For optimal growth and maintenance of selection, add the following components to the base medium: fetal bovine serum to a final concentration of 2.5%. And Horse Serum to final concentration of 15 %

#### Selection

Hygromycin to a final concentration of 100 μg/mL

#### **Culture temperature:**

37 °C with 5% CO<sub>2</sub>

#### Subculture:

Rinse the cells with PBS without cations, digest cells with 0.25% (w/v) Trypsin-EDTA (0.53 mM) solution and split at 1:2 to 1:4 ratio.

**Cryopreservation:** Freeze slowly in complete growth medium supplemented with 5% (v/v) DMSO.


**Product QC:** >95% viability before freezing. All cells were tested and found to be free of

mycoplasma, bacterial, viruses, and other toxins.



# Cas9 Activity Testing by T7 Endonuclease I (T7E1) Assay

## TE1: T7E1 (T7 Endonuclease 1)



A plasmid expressing an sgRNA targeting the P2X2 gene was transfected into the C6/ Cas9-hyg stable cell line by electroporation. The P2X2 gene was cut by Cas9 expressed inside the cells and repaired through NHEJ with mutation. A 730 bp P2X2 gene fragment from PCR was then tested by T7 Endonuclease I (T7 E1) Assay. The T7 E1 cleavage will result in two additional bands:

one ~237 bp and the other ~493bp.

**Citation of product:** If use of this item results in a publication, please use this information: CRISPR Cas9 C6/ Cas9-hyg Stable cell line (SL534, GeneCopoeia, Inc., Rockville,

MD).

#### **Limited Use License**

A limited use license is granted to the Buyer of the Product. The Product shall be used by the Buyer for internal research purposes only. The Product is expressly not designed, intended, or warranted for use in humans or for therapeutic or diagnostic use. The Product must not be resold, repackaged or modified for resale, or used to manufacture commercial products without prior written consent from GeneCopoeia. This Product should be used in accordance with NIH guidelines developed for recombinant DNA and genetic research. Use of any part of the Product constitutes acceptance of the above terms.

Copyright ©2017 GeneCopoeia, Inc.

C9SCL-DS-030717-10

GeneCopoeia, Inc.

9620 Medical Center Drive, #101

Rockville, MD 20850 USA

Tel: 301-762-0888; Fax: 301-762-3888 Email: support@genecopoeia.com

Web: www.genecopoeia.com