

Material Safety Data Sheet

Revision Date: January 04, 2020

1. IDENTIFICATION OF THE SUBSTRANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code QP020

Product name RNAzol® RT RNA Isolation Reagent

Contact manufacturer

GeneCopoeia, Inc.

9620 Medical Center Drive, Suite 101 Rockville, MD 20850 USA

Phone: 301-762-0888

Fax: 301-762-3888

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Phenol	108-95-2	30-60
Guanidine isothiocyanate	593-84-0	15-40
Ammonium thiocyanate	1762-95-4	7-13

Contact with acids or bleach liberates toxic gases. DO NOT ADD acids or bleach to any liquid wastes containing this product. We recommend handling all chemicals with caution.

3. HAZARDS IDENTIFICATION

GHS - Classification

Signal Word DANGER



Health Hazards

Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin corrosion/irritation	Category 1 B
Serious eye damage/eye irritation	Category 1
Specific target organ systemic toxicity (single exposure)	Category 3
Specific target organ systemic toxicity (repeated exposure)	Category 3

Health Hazards (continued)

Mutagenicity	Mutagenic category 2

Physical hazards

Not hazardous

Hazard Statements

H314 - Causes severe skin burns and eye damage

H341 - Suspected of causing genetic defects

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

Precautionary Statements

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Principle Routes of Exposure

Potential Health Effects

Eyes Causes burns. Risk of serious damage to eyes. Corrosive to the eyes

and may cause severe damage including blindness.

Skin Causes burns. Possible risk of irreversible effects. Harmful in contact

with skin.

Irritating to skin and mucous membranes.

Inhalation Harmful by inhalation.

Ingestion Harmful if swallowed. Ingestion causes burns of the upper digestive and

respiratory tracts. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Specific effects

Carcinogenic effects Phenol has been classified by the International Agency for Research on

Cancer (IARC) as not classifiable as to carcinogenicity to humans

(Group 3).

Mutagenic effectsNot ApplicableReproductive toxicityNot ApplicableSensitizationNot Applicable

Target Organ Effects Skin

Lungs Liver Spleen

Kidney

HMIS

Health	3 * Chronic Hazard	
Flammability	1	
Reactivity	0	

4. FIRST AID MEASURES

Skin contact Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Call a physician immediately.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Call a physician immediately.

Call a physician or poison control center immediately. Rinse mouth. Do Ingestion

not induce vomiting without medical advice. Never give anything by

mouth to an unconscious person.

Inhalation Remove to fresh air. Call a physician or poison control center

immediately.

2X

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Special protective equipment

for firefighters

Dry chemical. Carbon dioxide (CO2). Water spray. Foam.

Wear self-contained breathing apparatus and protective suit.

Australia HazChem Code

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protection equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Methods for cleaning up

Prevent product from entering drains. Soak up with inert absorbent material. Neutralize spill with slaked lime, sodium bicarbonate or crushed limestone. Collect powdered material and deposit in sealed containers and dispose of phenol as hazardous waste. Isolate area and deny entry.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system.

See Section 12 for more information

7. HANDLING AND STORAGE

Handling

Storage

Always wear recommended Personal Protective Equipment. Avoid contact with skin, eyes or clothing. Remove all sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Protect from sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Chemical name	OSHA PEL	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Phenol	5 ppm 19 mg/m ³	None	5 ppm	None
Guanidine isothiocyanate	None	None	None	None
Ammonium thiocyanate	5 mg/m ³	None	None	None

Engineering measures

Use in a chemical fume hood

Personal protective equipment

Personal Protective Equipment requirements are dependent on the user institution's risk assessment and are specific to the risk assessment for each laboratory where this material may be used.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment

Respirator Recommendations, National Institute of Occupational Safety and Health, U.S. Up to 50 ppm

(APF = 10) Any air-purifying half-mask respirator with organic vapor cartridge(s) in combination with an N95, R95, or P95 filter. The following filters may also be used:

N99, R99, P99, N100, R100, P100. (APF = 10) Any supplied-air respirator

Up to 125 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow

(APF = 25) Any powered air-purifying respirator with an organic vapor cartridge in combination with a high-efficiency particulate filter.

Up to 250 ppm:

(APF = 50) Any air-purifying full-facepiece respirator equipped with organic vapor cartridge(s) in combination with an N100, R100, or P100 filter.

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted organic vapor canister having an N100, R100, or P100 filter.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and organic vapor cartridge(s) in combination with a high-efficiency particulate filter.

(APF = 50) Any self-contained breathing apparatus with a full facepiece.

(APF = 50) Any supplied-air respirator with a full facepiece.

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus.

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a

chin-style,

front- or back-mounted organic vapor canister having an N100, R100, or P100 filter. /Any appropriate escape-type, self-contained breathing

apparatus.

Hand protection Impervious gloves. S24 - Avoid contact with skin. S36 - Wear suitable

protective clothing.

Eye protection

Skin and body protection

Hygiene measures

Tight sealing safety goggles. Impervious clothing.

Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Handle in accordance with

good industrial hygiene and safety practice.

Environmental exposure

Controls Prevent product from entering drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

Form Liquid. **Appearance** Red, maroon.

Odor Medicinal, sweet, tar-like.

Boiling point/range°C No data available°F No data availableMelting point/range°C No data available°F No data availableFlash point°C No data available°F No data availableAutoignition temperature°C No data available°F No data available

Oxidizing properties No information available

Water solubility Soluble

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Materials to avoid Strong oxidizing agents. Strong acids. Isocyanates. Heat. Nitriles,

Nitrides. Alkaline earth metals. Strong oxidizers, alkali metals and

alkaline earth metals may cause fires or explosions.

Hazardous decomposition Toxic gas. Sulphur oxides. Hydrogen cyanide (hydrocyanic acid). Carbon

oxides,

Products Nitrogen Oxides.

Polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical name	LD50 (oral,rat/mouse)	LD50 (dermal,rat/rabbit)	LC50 (inhalation,rat/mouse)
Phenol	= 317 mg/kg (Rat)	No data available	=316mg/m3(Rat)
Guanidine isothiocyanate	571 mg/kg	2000 mg/kg	5.319 mg/L (4H)

Ammonium thiocyanate	= 500 mg/kg (Rat)	No data available	No data available
· · · · · · · · · · · · · · · · · · ·	1 2 2 2 111 31 113 (1 1 2 1 1)		

Principle Routes of Exposure Potential Health Effects

Eyes Causes burns. Risk of serious damage to eyes Corrosive to the eyes and

may cause severe damage including blindness.

Skin Causes burns. Possible risk of irreversible effects Harmful in contact with

skin. Irritating to skin and mucous membranes.

Inhalation Harmful by inhalation

Ingestion Harmful if swallowed Ingestion causes burns of the upper digestive and

respiratory tracts Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea

Carcinogenic effects Phenol has been classified by the International Agency for Research on

Cancer (IARC) as not classifiable as to carcinogenicity to humans

(Group 3).

Mutagenic effectsNo information available.Reproductive toxicityNo information available.SensitizationNo information available.

Target organ effects Skin.

Lungs. Liver. Spleen. Kidney.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Chronic aquatic toxicityMobility
Category 3
See log Pow

BiodegradationInherently biodegradableBioaccumulationNo information available

Chemical name	Freshwater algae data	Water flea data	Freshwater fish species data	Microtox data	Log Pow
Phenol	Desmodesmus subspicatus EC50 187 - 279 mg/L (72 h) Pseudokirchneriella subcapitata EC50 46.42 mg/L (96 h)	Daphnia magna EC50 4.24 - 10.7 mg/L (48 h) Daphnia magna EC50 10.2 - 15.5 mg/L (48 h)	=316mg/m3(Rat)		logPow1. 47

13. DISPOSAL CONSIDERATIONS

Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

IATA

Proper shipping name Corrosive liquid, n.o.s. (guanidine thiocyanate-phenol solution).

Hazard Class 8
Subsidiary class None
Packing group II
UN-No 1760
ERG Code 153

15. REGULATARY INFORMATION

Component	TSCA
Phenol, 108-95-2 (30-60)	Listed
Guanidine isothiocyanate, 593-84-0 (15-40)	Listed
Ammonium thiocyanate 1762-95-4 (7-13)	Listed

US Federal Regulations

SARA 313

This product contains the following toxic chemical(s) subject to the notification requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986. This law requires certain manufacturers to report on annual emissions of specified chemicals and chemical categories. Please note that if you repackage, or otherwise redistribute, this product to industrial customers, a notice similar to this one should be sent to those customers:

Chemical name	CAS-No.	Weight %	SARA 313-Threshold values		
Phenol	108-95-2	30-60	1.0		
Ammonium thiocyanate	1762-95-4	7-13	1.0		

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Component	CAS-No.	Weight %	HAPS data
Phenol	108-95-2	30-60	Present
Ammonium thiocyanate	1762-95-4	7-13	Present (XCN where X=H or any other group where a formal dissociation may occur. For example KCN or Ca[CN]2)

US state regulations

Chemical name	Massachusetts -RTK	New Jersey- RTK	Pennsylvania- RTK	Illinois-RTK	Rhode Island- RTK
Phenol	Listed	Listed	Listed	Listed	Listed
Guanidine isothiocyanate	-	-	-	-	-
Ammonium thiocyanate	Listed	-	Listed	Listed	Listed

California Proposition 65

This product does not contain any Proposition 65 chemicals.

WHMIS Hazard Class

D1A - Very toxic materials

E - Corrosive material





This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Reason for revision

Not Applicable. SDS sections updated.

For research use only.

"The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein.

THE INFORMATION IN THIS SDS DOES NOT CONSTITUTE A WARRENTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PUPOSE"

End of Safety Data Sheet