


Datasheet for HEK293T/ACE2 Cell Line

Catalog number:	SL221
Product:	HEK293T cell line stably expressing angiotensin-converting enzyme 2 (ACE2) gene.
Description:	The metallopeptidase, angiotensin-converting enzyme 2 (ACE2), has been identified as a functional receptor for SARS-CoV1 and a potent receptor for 2019-nCoV2. ACE2 is a carboxypeptidase that potently degrades angiotensin II to angiotensin 1–7, playing key role in the renin-angiotensin system (RAS).
Quantity:	1 vial of 2×10^6 cells; frozen
Shipping conditions:	Dry ice
Storage conditions:	Liquid nitrogen vapor phase. Remove the item from the dry ice packaging and check all items for damage and leakage. Place immediately into storage at or below -140°C , preferably into the liquid nitrogen vapor phase, until use.

Transgene integration:



Source of parental line:

HEK293T
Organism: *Homo sapiens*,
human Tissue: k i d n e y
Cell type: Epithelial

Quality control:	>95% viability before freezing. All cells were tested and found to be free of mycoplasma, bacteria, viruses, and other toxins.
Safety instructions:	To ensure safety, protective gloves, clothing, and a face mask should be worn when handling frozen vials. Some leakage may occur into the vial during storage. The liquid nitrogen will be converted to gas upon thawing. Due to the nature of nitrogen gas, pressure may build within the vial and possibly result in the vial exploding or losing its cap. This may cause flying debris.

Thawing procedure: The vial of cells should be thawed in a 37 °C water bath with gentle agitation. For optimal performance, the vial should be thawed in under two minutes. Ensure that the cap of the vial did not loosen upon thawing, and re-tighten as needed. Spray the vial with 70% EtOH and wipe off. Repeat. Using aseptic technique, add the contents of the vial to 9 ml of complete growth medium (without selection). Centrifuge for 5 min. at 125 x g. Aspirate the medium, being careful not to disturb the pellet. Resuspend in 10 mL of complete growth medium, and place into a culture vessel of your choice. Only add selection to the medium after 24 hours in culture.

Culture conditions:

Complete Growth Medium

The base medium for this cell line is DMEM. For optimal growth and maintenance of selection, add the following components to the base medium: dialyzed fetal bovine serum to a final concentration of 10%.

Selection: Hygromycin to a final concentration of 100 µg/mL

Culture temperature: 37 °C with 5% CO₂

Subculture: Replace culture medium with selection-free medium and incubate for up to 6 hours. Rinse the cells with PBS without cations, digest cells with 0.25% (w/v) Trypsin-EDTA (0.53 mM) solution and split at 1:3 to 1:10 ratio.

Cryopreservation: Freeze slowly in complete growth medium supplemented with 5% (v/v) DMSO.

Mycoplasma: Negative
(MycoAlert Mycoplasma Detection Kit from Lonza)

Product QC: >95% viability before freezing. All cells were tested and found to be free of mycoplasma, bacterial, viruses, and other toxins.

Limited Use License

A limited use license is granted to the Buyer of the Product. The Product shall be used by the Buyer for internal research purposes only. The Product is expressly not designed, intended, or warranted for use in humans or for therapeutic or diagnostic use. The Product must not be resold, repackaged or modified for resale, or used to manufacture commercial products without prior written consent from GeneCopoeia. This Product should be used in accordance with NIH guidelines developed for recombinant DNA and genetic research. Use of any part of the Product constitutes acceptance of the above terms.

Copyright ©2020 GeneCopoeia, Inc.

TRSCL-DS-062816

GeneCopoeia, Inc.

9620 Medical Center Drive, #101

Rockville, MD 20850 USA

Tel: 301-762-0888; Fax: 301-762-3888

Email: support@genecopoeia.com

Web: www.genecopoeia.com