

## Datasheet for CAR-T target luciferase-labeled Raji cancer cell line

**Catalog Number:** SL131

**Product:** CAR-T target luciferase-labeled Raji cancer cell line


**Description:** This product is a firefly luciferase-labeled stable cloning in the designated cell type. This cell line can be used as a target cancer cell for *in vitro* and *in vivo* killing assay by CD19 CAR-T cells and is expected to also work for CD20 CAR-T cells. Raji-Luc naturally expresses high levels of CD19.

**Quantity:** 1 vial of  $2 \times 10^6$  cells; frozen

**Shipping Conditions:** Dry ice

**Storage Conditions:** Liquid nitrogen vapor phase. Remove the item from the dry ice packaging and check all items for damage and leakage. Place immediately into storage at or below  $-140^\circ\text{C}$ , preferably into the liquid nitrogen vapor phase until use.

**Transgene Integration:**




**Source of Parental line:**

Raji	
Organism	<i>Homo sapiens</i> , human
Cell Type	B lymphocyte
Morphology	lymphoblast
Growth properties	Suspension

**Quality Control:** >95% viability before freeze. All cells were tested and found to be free of mycoplasma, bacteria, viruses, and other toxins.

**Luciferase Activity:**

Serial dilutions of Raji-Luc cells were plated into a 96-well plate (white well). The luciferase activity was tested using GeneCopoeia™ Luc-Pair™ Firefly Luciferase HS Assay Kit (LF007).



- Safety Instructions:** To ensure safety, protective gloves, clothing and a face mask should be worn when handling frozen vials. Some leakage may occur into the vial during storage. The liquid nitrogen will be converted to gas upon thawing. Due to the nature of nitrogen gas, pressure may build within the vial and possibly result in the vial exploding or losing its cap. This may cause flying debris.
- Thawing procedure:** The vial of cells should be thawed in a 37°C water bath with gentle agitation. For optimal performance, the vial should be thawed in under two minutes. Ensure that the cap of the vial did not loosen upon thawing and re-tighten as needed. Spray the vial with 70% EtOH and wipe off. Repeat. Using aseptic technique, add the contents of the vial to 9 mL of complete growth medium (without selection). Centrifuge for 5 min at 125 × g. Aspirate the media, being careful not to disturb the pellet. Resuspend in 10 mL of complete growth medium and place into a culture vessel of your choice. Only add selection to the media after 24 h in culture.
- Culture condition:**
- Complete Growth Medium:** The base medium for this cell line is RPMI-1640 Medium. For optimal growth and maintenance of selection, add the following components to the base medium: fetal bovine serum to a final concentration of 10%.
- Selection:** Puromycin to a final concentration of 0.6 µg/mL
- Culture temperature:** 37°C with 5% CO<sub>2</sub>
- Subculture:** Cultures can be maintained by the addition or replacement of fresh medium. Start new cultures at 1×10<sup>5</sup> viable cells/mL. Subculture at 1×10<sup>6</sup> cells/mL.
- Cryopreservation:** Freeze slowly in complete growth medium supplemented with 5% (v/v) DMSO
- Citation of product:** If use of this item results in a publication, please use this information: CAR-T target luciferase-labeled Raji cancer cell line (SL131; Genecopoeia, Inc, Rockville, MD).

#### Limited Use License

A limited use license is granted to the Buyer of the Product. The Product shall be used by the Buyer for internal research purposes only. The Product is expressly not designed, intended, or warranted for use in humans or for therapeutic or diagnostic use. The Product must not be resold, repackaged or modified for resale, or used to manufacture commercial products without prior written consent from GeneCopoeia. This Product should be used in accordance with NIH guidelines developed for recombinant DNA and genetic research. Use of any part of the Product constitutes acceptance of the above terms.